

L Number	Hits	Search Text	DB	Time stamp
1	8	(method and (program or code or routine) and execut\$5 and (condition\$3 or requir\$5) and download\$3 and data and process\$3) and @ad<20000403 and file and (execut\$3 same file) and (compil\$3 or link\$3) and (common same object same file same format) and (710/5.ccls. or 710/6.ccls. or 710/11.ccls. or 710/16.ccls. or 710/18.ccls. or 710/29.ccls. or 710/31.ccls. or 710/36.ccls. or 710/37.ccls. or 710/38.ccls. or 710/104.ccls. or 717/11.ccls. or 709/203.ccls. or 707/103.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 14:00
2	4	((multiple adj processor) same select\$3 same (information of data)) and @ad<20000403 and (710/5.ccls. or 710/6.ccls. or 710/11.ccls. or 710/16.ccls. or 710/18.ccls. or 710/29.ccls. or 710/31.ccls. or 710/36.ccls. or 710/37.ccls. or 710/38.ccls. or 710/104.ccls. or 717/11.ccls. or 709/203.ccls. or 707/103.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 14:01
3	130	(file same execut\$4) and (program or object or aplication) and ((run\$4 or execut\$4) same (condition or characteristic or requirement or information or constraint) same (download\$3 or acquir\$3)) and process\$3 and data and ((first and second) or (one and two)) and (compil\$3 or link\$3) and @ad<20000403 and (710/5.ccls. or 710/6.ccls. or 710/11.ccls. or 710/16.ccls. or 710/18.ccls. or 710/29.ccls. or 710/31.ccls. or 710/36.ccls. or 710/37.ccls. or 710/38.ccls. or 710/104.ccls. or 717/11.ccls. or 709/203.ccls. or 707/103.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 14:04
-	39	(method same (program or code or routine) same execut\$5 same (condition\$3 or requir\$5) same download\$3 same data same process\$3) and @ad<20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/18 14:56
-	0	(method same (program or code or routine) same execut\$5 same (condition\$3 or requir\$5) same download\$3 same data same process\$3) and @ad<20000403 and file and coff	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 10:01
-	9	(method same (program or code or routine) same execut\$5 same (condition\$3 or requir\$5) same download\$3 same data same process\$3) and @ad<20000403 and file and (execut\$3 near5 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 10:02
-	9	(method same (program or code or routine) same execut\$5 same (condition\$3 or requir\$5) same download\$3 same data same process\$3) and @ad<20000403 and file and (execut\$3 near5 file) and (compil\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 10:19
-	1	"5845077".PN.	USPAT; US-PGPUB	2003/07/16 10:15
-	1	"5860012".PN.	USPAT; US-PGPUB	2003/07/16 10:16
-	1	"5931909".PN.	USPAT; US-PGPUB	2003/07/16 10:16
-	1	"5933647".PN.	USPAT; US-PGPUB	2003/07/16 10:16
-	1	"5950010".PN.	USPAT; US-PGPUB	2003/07/16 10:17

-	1	"6018627".PN.	USPAT; US-PGPUB	2003/07/16 10:17
-	1	"6051032".PN.	USPAT; US-PGPUB	2003/07/16 10:18
-	1	"6080207".PN.	USPAT; US-PGPUB	2003/07/16 10:18
-	1	"6189138".PN.	USPAT; US-PGPUB	2003/07/16 10:19
-	1	"6223345".PN.	USPAT; US-PGPUB	2003/07/16 10:19
-	1	"6247128".PN.	USPAT; US-PGPUB	2003/07/16 10:19
-	18	(method same (program or code or routine) same execut\$5 same (condition\$3 or requir\$5) same download\$3 same data same process\$3) and @ad<20000403 and file and (execut\$3 same file) and (compil\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 10:22
-	52	(method and (program or code or routine) and execut\$5 and (condition\$3 or requir\$5) and download\$3 and data and process\$3) and @ad<20000403 and file and (execut\$3 same file) and (compil\$3 or link\$3) and (common same object same file same format)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 13:56
-	43	(method and (program or code or routine) and execut\$5 and (condition\$3 or requir\$5) and download\$3 and data and process\$3) and @ad<20000403 and file and (execut\$3 same file) and (compil\$3 or link\$3) and (common same object same file same format) not ((texas near instrument).as. or ti.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 10:24
-	25	(method same (program or code or routine) same execut\$5 same (condition\$3 or requir\$5) same download\$3 same data same process\$3) and @ad<20000403 and file and (execut\$3 samefile) and (compil\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 16:51
-	24	(method and (program or code or routine) and execut\$5 and (condition\$3 or requir\$5) and download\$3 and data and process\$3) and @ad<20000403 and file and (execut\$3 same file) and (compil\$3 or link\$3) and (common same object same file same format) and (UUID or (program same memory same size) or (clock near5 speed) or (data same memory same size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 15:14
-	2	(6051032.pn. or 6018627.pn. or 5950010.pn. or 6282711.pn. or 6560777.pn. or 5815709.pn.) and (uuid or (object adj identifier) or (program near5 size) or (data near5 size) or (memory adj size) or (clock near5 speed)) and ((information or data) same (associat\$3 or indicat\$4 or determin\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 15:32
-	2	5263166.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 16:51
-	2	5604905.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/16 16:51

-	1399	(file same execut\$4) and (program or object or application) and ((run\$4 or execut\$4) same (condition or characteristic or requirement or information or constraint) same (download\$3 or acquir\$3)) and process\$3 and data and ((first and second) or (one and two)) and (compil\$3 or link\$3) and @ad<20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 13:59
-	151	(file near5 execut\$4) and (program or object or application) and (((run\$4 or execut\$4) near10 (condition or characteristic or requirement or information or constraint)) same (download\$3 or acquir\$3)) and process\$3 and data and ((first and second) or (one and two)) and (compil\$3 and link\$3) and @ad<20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 12:04
-	123	(file near5 execut\$4) and (program or object or application) and (((run\$4 or execut\$4) near10 (condition or characteristic or requirement or information or constraint)) same (download\$3 or acquir\$3)) and (processor same data) and ((first and second) or (one and two)) and (compil\$3 and link\$3) and @ad<20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 12:09
-	29	(file near5 execut\$4) and (program or object or application) and (((run\$4 or execut\$4) near10 (condition or characteristic or requirement or information or constraint)) same (download\$3 or acquir\$3)) and (processor same data) and ((first and second) or (one and two)) and (compil\$3 and link\$3) and @ad<20000403 and ((memory adj size) or (clock near5 (speed or rate)) or (program near4 size)) and identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/17 12:13
-	0	((multiple adj processor) same select\$3 same (information of data)) and @20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/18 14:57
-	274	((multiple adj processor) same select\$3 same (information of data)) and @ad<20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/21 13:59
-	13	((multiple adj processor) same select\$3 same (information of data) same (condition or requirement)) and @ad<20000403	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/18 16:14
-	1	6282711.pn. and (compil\$3 or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/18 16:14